

GENERAL MEMBRANE S.p.A. D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 1 / 9

VF

ΕN

Safety data sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: D_0011
Product name GENERAL GLUE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Bituminous solvent mastic for the building industry

 Identified Uses
 Industrial
 Professional
 Consumer

 Adhesives
 PC: 1

1.3. Details of the supplier of the safety data sheet

Name GENERAL MEMBRANE S.p.A.

Full address Via Venezia, 538
District and Country 30022 CEGGIA

ITALIA

Tel. +39 0421 322000 Fax +39 0421 322800

e-mail address of the competent person

responsible for the Safety Data Sheet mirco.zanatta@generalmembrane.com

Product distribution by GENERAL MEMBRANE S.p.A.

1.4. Emergency telephone number

For urgent inquiries refer to Tel. +39 0421 322000 on office hours (08.30-12.30, 14.00: 18.00) ask for Zanatta Mirco

Apply First Aid Measures and Fire Precautions described.

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Flammable liquid, category 3 H226 Flammable liquid and vapour.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H226 Flammable liquid and vapour.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.





D_0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 2 / 9

SECTION 2. Hazards identification/>>

P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): take off immediately all contaminated clothing. Rinse skin with water / shower.

P370+P378 In case of fire: Use powder and CO2 extinguisher for extinction.

Product not intended for uses provided for by Dir. 2004/42/CE.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Compound containing: Mixture of bitumens, inert fillers, solvents, additives.

Contains:

Identification Conc. % Classification 1272/2008 (CLP)

NAPHTA (PETROL.) HYDROTREATED HEAVY

EC 919-857-5 3 - 10 Flam. Liq. 3 H226, Asp. Tox. 1 H304, STOT SE 3 H336, EUH066, Nota H P

Reg. no. 01-2119463258-33

SOLVENT NAPHTA (PETROLEUM), LIGHT AROM

EC 918-668-5 1 - 2,5 Flam. Liq. 3 H226, Asp. Tox. 1 H304, STOT SE 3 H335, STOT SE 3 H336,

Aquatic Chronic 2 H411, EUH066, Nota H P

Reg. no. 01-2119455851-35

Note: Upper limit is not included into the range

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017

Page n. 3/9



GENERAL MEMBRANE S.p.A.

D_0011 - GENERAL GLUE

SECTION 5. Firefighting measures .../>>

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Send away individuals who are not suitably equipped. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

TLW



D_0011 - GENERAL GLUE

SECTION 8. Exposure controls/personal protection .../>

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 4 / 9

Threshold Limit Va	lue								
Type Country		TWA/8h	WA/8h STEL/15min						
Турс	Country	mg/m3	ppm	mg/m3	ppm				
TLW		100	19	mg/mo	ppiii		SKIN		
Health - Derived no	-effect leve	I - DNEL /	DMEL						
Effects on consumers						Effects on workers			
Route of exposu	re Acute		ute stemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chroni	Chronic systemic
Oral	VND	VN	ID	VND	11 mg/kg day	VND	VND	c local VND	VND
Inhalation	VND	VN	ID	VND	32 mg/m3	VND	VND	VND	150 mg/m3
Skin	VND	VN	ID	VND	11 mg/kg day	VND	VND	VND	25 mg/kg day
				ΓΑ (PETROL.) Η	YDROTREAT	ED HEAVY			
Health - Derived no									
Route of exposu				Chronic local	Chronic systemic	Effects on wo	orkers Acute systemic	Chroni	Chronic systemic
Oral				VND	125 mg/kg p.c.			c local	
Inhalation				VND	185 mg/mc				871 mg/mc
Skin				VND	125 mg/kg p.c.			VND	208 mg/kg p.c

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.



GENERAL MEMBRANE S.p.A. D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 5 / 9

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Paste Colour Black Not available Odour Odour threshold Not available Not available Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point > 40 °C **Evaporation Rate** Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Not available Upper inflammability limit Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available

Relative density 1,310 kg/l 25°C +/-0,040

Solubility Insoluble in water
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available

Viscosity >20,5 mm2/s 40°C ISO 3219

Explosive properties Not available Oxidising properties Not available

9.2. Other information

VOC (Directive 2010/75/EC): 11,00% - 144,10 g/litre VOC (volatile carbon): 9,31% - 121,96 g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

SOLVENT NAPHTA (PETROLEUM), LIGHT AROM

Note H: The classification and labelling shown for this substance applies to the hazardous property(ies) indicated by the hazard statement(s) in combination with the hazard class(es) and category(ies) shown. The requirements of Article 4 for manufacturers, importers or downstream users of this substance apply to all other hazard classes and categories. For hazard classes where the route of exposure or the nature of the effects leads to a differentiation of the classification of the hazard class, the manufacturer, importer or downstream user is required to consider the routes of exposure or the nature of the effects not already considered.

Note P: The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7).



D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 6 / 9

SECTION 11. Toxicological information

11.1. Information on toxicological effects

SOLVENT NAPHTA (PETROLEUM), LIGHT AROM LD50 (Oral) 3.492 mg/kg Rat LD50 (Dermal) >3.160 mg/kg Rabbit LC50 (Inhalation) >6.193 mg/l/4h Rat

NAPHTA (PETROL.) HYDROTREATED HEAVY
LD50 (Oral) >5.000 mg/kg Rat
LD50 (Dermal) >5.000 mg/kg Rabbit
LC50 (Inhalation) 8.500 mg/l/4h Rat

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

SOLVENT NAPHTA (PETROLEUM), LIGHT AROM

 LC50 - for Fish
 9,2 mg/l/96h
 Fish

 EC50 - for Crustacea
 3,2 mg/l/48h
 Dafnia

NAPHTA (PETROL.) HYDROTREATED HEAVY

LC50 - for Fish >1.000 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 1.000 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants >1.000 mg/l/72h Pseudokirchneriella subcapitata

Chronic NOEC for Fish 0,131 mg/l
Chronic NOEC for Algae / Aquatic Plants 0,131 mg/l

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

The product, if packaged in packages of less than 450 litres, is not subject to ADR regulations as stated in 2.2.3.1.5.

The product, if packaged in packages of less than 30 litres, is not subject to obligations relating to marking, labelling and package testing in accordance with 2.3.2.5 of the IMDG CODE.

ADR / RID, IMDG, IATA: 1133



D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 7 / 9

SECTION 14. Transport information .../>

14.2. UN proper shipping name

ADR / RID: Adhesives IMDG: Adhesives IATA: Adhesives

14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3



14.4. Packing group

ADR / RID, IMDG, IATA: III

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 30 Limited Quantities: 5 L Tunnel restriction code: (D/E)

Special Provision: 640E

IMDG:EMS: F-E, S-DLimited Quantities: 5 LIATA:Cargo:Maximum quantity: 220 LPackaging instructions: 366

Pass.: Maximum quantity: 220 L Packaging instructions: 355

Special Instructions: A

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

DEC

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3-40

Substances in Candidate List (Art. 59 REACH)

None

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:





D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 8 / 9

SECTION 15. Regulatory information/>>

None

Healthcare controls
Information not available

Product not intended for uses provided for by Dir. 2004/42/CE.

German regulation on the classification of substances hazardous to water (VwVwS 2005)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 3 Flammable liquid, category 3
Asp. Tox. 1 Aspiration hazard, category 1

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Chronic 2 Hazardous to the aquatic environment, chronic toxicity, category 2

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Use descriptor system:

PC1 Adhesives, sealants

PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated

facilities

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).



D 0011 - GENERAL GLUE

Revision nr.10 Dated 15/03/2017 Printed on 12/05/2017 Page n. 9 / 9

SECTION 16. Other information />>

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 03/08/09/10/11/12/15